



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

QA Testing
1 of 1

Blue Dream

Strain: Blue Dream
Matrix: Plant
Type: Flower - Cured
Sample Size: ; Batch:

Produced: Collected:
Received: Completed:
07/18/2025 Batch#:

Client
Hollyweed
Lic. #
N/A
N/A, CA 90058



Summary

| Test | Date Tested | Result |
|--------------|-------------|------------------|
| Batch | | Complete |
| Cannabinoids | | Complete |
| Moisture | | 13.0% - Complete |

Cannabinoids

Complete

| | | |
|-----------------------------|------------------------|--------------------------------------|
| 36.711% Total THC | ND Total CBD | 38.739% Total Cannabinoids |
|-----------------------------|------------------------|--------------------------------------|

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g |
|-----------------|-------------|-------------|-------------|----------------|
| CBC | 0.009 | 0.025 | ND | ND |
| CBD | 0.025 | 0.100 | ND | ND |
| CBDa | 0.019 | 0.050 | ND | ND |
| CBG | 0.019 | 0.050 | ND | ND |
| CBGa | 0.125 | 0.250 | 0.4347 | 4.347 |
| THCVa | 0.009 | 0.050 | 1.1277 | 11.277 |
| $\Delta 8$ -THC | 0.025 | 0.100 | ND | ND |
| $\Delta 9$ -THC | 0.019 | 0.100 | 0.2886 | 2.886 |
| THCa | 0.013 | 0.050 | 41.5308 | 415.308 |
| THCV | 0.025 | 0.100 | 0.5192 | 5.192 |
| Total THC | | | 36.711 | 367.111 |
| Total CBD | | | ND | ND |
| Total CBG | | | 0.382 | 3.817 |
| Total | | | 38.739 | 387.393 |

Date Tested:
Total THC = THCa * 0.877 + $\Delta 9$ -THC + $\Delta 8$ -THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
Cannabinoids: HPLC, CAN-SOP-001
Water Activity: Water Activity Meter, WA-SOP-001
Moisture Content: Moisture Analyzer, MO-SOP-001
Foreign Matter: Visual Inspection, FM-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.